

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 9, 2023

[REDACTED]
MOUNTAIN VIEW MEMORY CARE LLC
[REDACTED]

RE: MOUNTAIN VIEW MEMORY CARE
711 ROUTE 119
GREENSBURG, PA, 15601
LICENSE/COC#: 45377

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/18/2023, 11/06/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: MOUNTAIN VIEW MEMORY CARE License #: 45377 License Expiration: 06/22/2024
 Address: 711 ROUTE 119, GREENSBURG, PA 15601
 County: WESTMORELAND Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] 0 Email: [REDACTED]

Legal Entity

Name: MOUNTAIN VIEW MEMORY CARE LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 04/13/2006 Issued By: Hempfield Township

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 68 Waking Staff: 51

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 11/06/2023

Inspection Dates and Department Representative

10/18/2023 - On-Site: [REDACTED]
 11/06/2023 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 80 Residents Served: 34

Secured Dementia Care Unit
 In Home: Yes Area: Entire Home Capacity: 80 Residents Served: 34

Hospice
 Current Residents: 14

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 34
 Diagnosed with Mental Illness: 4 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 34 Have Physical Disability: 0

Inspections / Reviews

10/18/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND