

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 6, 2023

[REDACTED]
ST JOHN LUTHERAN CARE CENTER
500 WITTENBERG WAY
P.O. BOX 928
MARS, PA, 16046

RE: ST. JOHN SPECIALTY CARE CENTER
500 WITTENBERG WAY, P.O.BOX 928
MARS, PA, 16046
LICENSE/COC#: 44833

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/01/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ST. JOHN SPECIALTY CARE CENTER License #: 44833 License Expiration: 05/25/2024
Address: 500 WITTENBERG WAY, P.O.BOX 928, MARS, PA 16046
County: BUTLER Region: WESTERN

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: ST JOHN LUTHERAN CARE CENTER
Address: 500 WITTENBERG WAY, P.O. BOX 928, MARS, PA, 16046
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: Total Daily Staff: 64 Waking Staff: 48

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 11/01/2023

Inspection Dates and Department Representative

11/01/2023 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 75 Residents Served: 52

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 52
Diagnosed with Mental Illness: 6 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 12 Have Physical Disability: 0

Inspections / Reviews

11/01/2023 - Partial

Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND