

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 26, 2023

[REDACTED], ADMINISTRATOR
SALISBURY BEHAVIORAL HEALTH LLC
[REDACTED]
[REDACTED]

RE: SALISBURY BEHAVIORAL HEALTH
513 LEHIGH STREET
ALLENTOWN, PA, 18103
LICENSE/COC#: 21674

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/09/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SALISBURY BEHAVIORAL HEALTH License #: 21674 License Expiration: 03/26/2024
 Address: 513 LEHIGH STREET, ALLENTOWN, PA 18103
 County: LEHIGH Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: SALISBURY BEHAVIORAL HEALTH LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 08/14/1999 Issued By: PALI

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 20 Waking Staff: 15

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 12/26/2023

Inspection Dates and Department Representative

11/09/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 20 Residents Served: 20
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 0
 Number of Residents Who:
 Receive Supplemental Security Income: 20 Are 60 Years of Age or Older: 11
 Diagnosed with Mental Illness: 20 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 0 Have Physical Disability: 1

Inspections / Reviews

11/09/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND