

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

November 22, 2023

[REDACTED], ADMINISTRATOR
BROOKSIDE ASSISTED LIVING, INC.
49 BROOKSIDE LANE
BROOKVILLE, PA, 15825

RE: BROOKSIDE SENIOR LIVING
49 BROOKSIDE LANE
BROOKVILLE, PA, 15825
LICENSE/COC#: 41113

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/21/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *BROOKSIDE SENIOR LIVING* License #: *41113* License Expiration: *10/15/2024*
 Address: *49 BROOKSIDE LANE, BROOKVILLE, PA 15825*
 County: *JEFFERSON* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *BROOKSIDE ASSISTED LIVING, INC.*
 Address: *49 BROOKSIDE LANE, BROOKVILLE, PA, 15825*
 Phone: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: Total Daily Staff: *34* Waking Staff: *26*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint, Incident* Exit Conference Date: *11/21/2023*

Inspection Dates and Department Representative

11/21/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *50* Residents Served: *33*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *0*

Number of Residents Who:
 Receive Supplemental Security Income: *1* Are 60 Years of Age or Older: *33*
 Diagnosed with Mental Illness: *5* Diagnosed with Intellectual Disability: *1*
 Have Mobility Need: *1* Have Physical Disability: *0*

Inspections / Reviews

11/21/2023 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND