

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 12, 2023

[REDACTED]
THOMAS AND DIANE FULMER
[REDACTED]

RE: FULMERS PERSONAL CARE HOME
201 WOODWARD AVENUE
LOCK HAVEN, PA, 17745
LICENSE/COC#: 22710

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/30/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *FULMERS PERSONAL CARE HOME* License #: *22710* License Expiration: *10/28/2024*
 Address: *201 WOODWARD AVENUE, LOCK HAVEN, PA 17745*
 County: *CLINTON* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *THOMAS AND DIANE FULMER*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *08/10/1993* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *73* Waking Staff: *55*

Inspection Information

Type: *Full* Notice: *Unannounced* BHA Docket #:
 Reason: *Renewal, Complaint* Exit Conference Date: *11/30/2023*

Inspection Dates and Department Representative

11/30/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *89* Residents Served: *73*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *0*

Number of Residents Who:
 Receive Supplemental Security Income: *42* Are 60 Years of Age or Older: *70*
 Diagnosed with Mental Illness: *30* Diagnosed with Intellectual Disability: [REDACTED]
 Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

11/30/2023 - Full
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND