

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 28, 2023

[REDACTED], SENIOR VICE PRESIDENT
PRESBYTERIAN SENIORCARE
954 REDSTONE ROAD
WASHINGTON, PA, 15301

RE: WOODSIDE PLACE OF
WASHINGTON OF PRESBYTERIAN
SENIORCARE
954 REDSTONE ROAD
WASHINGTON, PA, 15301
LICENSE/COC#: 45099

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/14/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WOODSIDE PLACE OF WASHINGTON OF
PRESBYTERIAN SENIORCARE

License #: 45099

License Expiration: 02/24/2024

Address: 954 REDSTONE ROAD, WASHINGTON, PA 15301

County: WASHINGTON

Region: WESTERN

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: PRESBYTERIAN SENIORCARE

Address: 954 REDSTONE ROAD, WASHINGTON, PA, 15301

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 70

Waking Staff: 53

Inspection Information

Type: *Partial*

Notice: *Unannounced*

BHA Docket #:

Reason: *Incident*

Exit Conference Date: 12/14/2023

Inspection Dates and Department Representative

12/14/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 36

Residents Served: 35

Special Care Unit

In Home: *Yes*

Area: *Entire Home*

Capacity: 36

Residents Served: 35

Hospice

Current Residents: 6

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 35

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 35

Have Physical Disability: 0

Inspections / Reviews

12/14/2023 - Partial

Lead Inspector: [REDACTED]

Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND