

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

January 29, 2024

[REDACTED]  
STABON MANOR PERSONAL CARE HOME, INC.  
[REDACTED]  
[REDACTED]

RE: STABON MANOR PERSONAL CARE  
HOME  
1555 HAAK STREET  
READING, PA, 19602  
LICENSE/COC#: 20512

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/21/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

## Facility Information

Name: STABON MANOR PERSONAL CARE HOME License #: 20512 License Expiration: 04/21/2024  
 Address: 1555 HAAK STREET, READING, PA 19602  
 County: BERKS Region: NORTHEAST

## Administrator

Name: [REDACTED] Phone: [REDACTED] Email: stabon@comcast.net

## Legal Entity

Name: STABON MANOR PERSONAL CARE HOME, INC.  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

## Certificate(s) of Occupancy

Type: C-2 LP Date: 08/18/1991 Issued By: DLI

## Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 114 Waking Staff: 86

## Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 01/05/2024

## Inspection Dates and Department Representative

12/21/2023 - On-Site: [REDACTED]

## Resident Demographic Data as of Inspection Dates

## General Information

License Capacity: 160 Residents Served: 114

## Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

## Hospice

Current Residents: 0

## Number of Residents Who:

Receive Supplemental Security Income: 89 Are 60 Years of Age or Older: 77  
 Diagnosed with Mental Illness: 40 Diagnosed with Intellectual Disability: 19  
 Have Mobility Need: 0 Have Physical Disability: 5

## Inspections / Reviews

12/21/2023 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND