

Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

February 14, 2024

[REDACTED]
PRESSLEY RIDGE
[REDACTED]

RE: ALLEGHENY COUNTY HOME
PLACES PROGRAM
2620 PALISADE LANE
PITTSBURGH, PA, 15214
LICENSE/COC#: 41264

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: ALLEGHENY COUNTY HOME PLACES PROGRAM
Address: 2620 PALISADE LANE, PITTSBURGH, PA 15214
County: ALLEGHENY

License Number: 41264
License Expiration: 05/15/2024

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: PRESSLEY RIDGE

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Inspection Information

Start Date: 01/10/2024

End Date: 01/11/2024

Type: Renewal

Notice: Announced Visit

Inspector(s): [REDACTED]

Inspection Narrative

The Department of Human Services, Office of Children, Youth, and Families, Western Region (Department), conducted an annual licensing inspection of Pressley Ridge Home Places from 01/10/2024 to 01/11/2024 for the licensing year 05/15/2024 to 05/15/2025. Pressley Ridge provided the WRO with a table of Organization, copies of the annual audit and budget, a current list of the Board of Directors, as well as copies of the minutes from the last board meeting, copies of insurance policies, and copies of the current program descriptions.

The license has had no youth residing within this license. The inspection consisted of a review of all personnel files and a walk-through of the unit. During the inspection, the Department noted the agency meets all regulatory requirements.

Inspections / Reviews

01/10/2024 - Renewal

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND