

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

January 16, 2024

[REDACTED], NHA/EXECUTIVE DIRECTOR
REDSTONE PRESBYTERIAN SENIORCARE
6 GARDEN CENTER DRIVE
GREENSBURG, PA, 15601

RE: REDSTONE HIGHLANDS
4 GARDEN CENTER DRIVE
GREENSBURG, PA, 15601
LICENSE/COC#: 44336

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/10/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: REDSTONE HIGHLANDS License #: 44336 License Expiration: 11/22/2024
Address: 4 GARDEN CENTER DRIVE, GREENSBURG, PA 15601
County: WESTMORELAND Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: REDSTONE PRESBYTERIAN SENIORCARE
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 12/05/1995 Issued By: L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 80 Waking Staff: 60

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 01/10/2024

Inspection Dates and Department Representative

01/10/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity:	61	Residents Served:	46
Secured Dementia Care Unit			
In Home:	No	Area:	Capacity:
Residents Served:			
Hospice			
Current Residents: 8			
Number of Residents Who:			
Receive Supplemental Security Income:	0	Are 60 Years of Age or Older:	46
Diagnosed with Mental Illness:	9	Diagnosed with Intellectual Disability:	0
Have Mobility Need:	34	Have Physical Disability:	1

Inspections / Reviews

01/10/2024 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND