

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

February 8, 2024

[REDACTED]
MARTINS RUN, INC.
[REDACTED]
[REDACTED]

RE: WESLEY ENHANCED LIVING MAIN
LINE PERSONAL CARE
100 HALCYON DRIVE
MEDIA, PA, 19063
LICENSE/COC#: 18280

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/11/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WESLEY ENHANCED LIVING MAIN LINE PERSONAL CARE License #: 18280 License Expiration: 09/11/2024

Address: 100 HALCYON DRIVE, MEDIA, PA 19063

County: DELAWARE

Region: SOUTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: MARTINS RUN, INC.

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 04/11/1996

Issued By: Department of Labor & Industry

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 23

Waking Staff: 17

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Incident

Exit Conference Date: 01/11/2024

Inspection Dates and Department Representative

01/11/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 59

Residents Served: 23

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: NM

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 24

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 0

Have Physical Disability: 0

Inspections / Reviews

01/11/2024 - Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND