

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

February 9, 2024

[REDACTED]
WG BETHLEHEM SH LLC
[REDACTED]
[REDACTED]

RE: ATRIA BETHLEHEM
1745 WEST MACADA ROAD
BETHLEHEM, PA, 18017
LICENSE/COC#: 22281

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/25/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *ATRIA BETHLEHEM* License #: *22281* License Expiration: *10/16/2024*
 Address: *1745 WEST MACADA ROAD, BETHLEHEM, PA 18017*
 County: *NORTHAMPTON* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *WG BETHLEHEM SH LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *09/28/1998* Issued By: *Dept. L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *130* Waking Staff: *98*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *01/25/2024*

Inspection Dates and Department Representative

01/25/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *150* Residents Served: *116*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *115*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *14* Have Physical Disability: *2*

Inspections / Reviews

01/25/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND