

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 1, 2024

[REDACTED]
NORTHEAST COUNSELING SERVICES
[REDACTED]

RE: CONYNGHAM CARE CENTER
63 S.HUNTER HIGHWAY,PO BOX
473
DRUMS, PA, 18222
LICENSE/COC#: 22175

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/21/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CONYNGHAM CARE CENTER License #: 22175 License Expiration: 08/03/2024
Address: 63 S.HUNTER HIGHWAY,PO BOX 473, DRUMS, PA 18222
County: LUZERNE Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: NORTHEAST COUNSELING SERVICES
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 11/08/1995 Issued By: L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 16 Waking Staff: 12

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 02/21/2024

Inspection Dates and Department Representative

02/21/2024 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 20	Residents Served: 16		
Secured Dementia Care Unit			
In Home: No	Area:	Capacity:	Residents Served:
Hospice			
Current Residents: 0			
Number of Residents Who:			
Receive Supplemental Security Income: 16	Are 60 Years of Age or Older: 0		
Diagnosed with Mental Illness: 16	Diagnosed with Intellectual Disability: 1		
Have Mobility Need: 0	Have Physical Disability: 0		

Inspections / Reviews

02/21/2024 - Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND