

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 11, 2024

[REDACTED]
COUNTRY MEADOWS OF WEST SHORE LLC
[REDACTED]
[REDACTED]

RE: COUNTRY MEADOWS OF WEST
SHORE
4837 EAST TRINDLE ROAD
MECHANICSBURG, PA, 17050
LICENSE/COC#: 33352

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/05/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: COUNTRY MEADOWS OF WEST SHORE License #: 33352 License Expiration: 08/31/2024
 Address: 4837 EAST TRINDLE ROAD, MECHANICSBURG, PA 17050
 County: CUMBERLAND Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: COUNTRY MEADOWS OF WEST SHORE LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 11/19/2002 Issued By: Labor and Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 103 Waking Staff: 77

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 03/05/2024

Inspection Dates and Department Representative

03/05/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 180 Residents Served: 66

Secured Dementia Care Unit
 In Home: Yes Area: Connections Capacity: 92 Residents Served: 37

Hospice
 Current Residents: 8

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 59
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 37 Have Physical Disability: 0

Inspections / Reviews

03/05/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND