

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 8, 2024

[REDACTED]
PRESBYTERIAN SENIOR CARE INC
[REDACTED]
[REDACTED]

RE: WESTMINSTER PLACE OF
OAKMONT
1215 HULTON ROAD
OAKMONT, PA, 15139
LICENSE/COC#: 42962

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/14/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WESTMINSTER PLACE OF OAKMONT License #: 42962 License Expiration: 06/30/2024
 Address: 1215 HULTON ROAD, OAKMONT, PA 15139
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: PRESBYTERIAN SENIOR CARE INC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-2 Date: 07/07/2015 Issued By: Borough of Oakmont
 Type: I-1 Date: 12/09/2001 Issued By: Borough of Oakmont

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 77 Waking Staff: 58

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 03/14/2024

Inspection Dates and Department Representative

03/14/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 100 Residents Served: 73
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 4
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 73
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 4 Have Physical Disability: 0

Inspections / Reviews

03/14/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND