

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

April 15, 2024

[REDACTED]  
WRC PENNSYLVANIA MEMORIAL HOME  
[REDACTED]

RE: LAURELBROOKE PERSONAL CARE  
133 LAURELBROOKE DRIVE  
BROOKVILLE, PA, 15825  
LICENSE/COC#: 42463

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/18/2024, 03/19/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: LAURELBROOKE PERSONAL CARE License #: 42463 License Expiration: 03/02/2025
Address: 133 LAURELBROOKE DRIVE, BROOKVILLE, PA 15825
County: JEFFERSON Region: WESTERN

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: WRC PENNSYLVANIA MEMORIAL HOME
Address: [Redacted]
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Type: C-1 Date: 08/02/2002 Issued By: DOH

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 61 Waking Staff: 46

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 03/26/2024

Inspection Dates and Department Representative

03/18/2024 - On-Site: [Redacted]
03/19/2024 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 50 Residents Served: 41

Secured Dementia Care Unit

In Home: Yes Area: Harmony Circle Capacity: 18 Residents Served: 17

Hospice

Current Residents: 4

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 41
Diagnosed with Mental Illness: 1 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 20 Have Physical Disability: 0

Inspections / Reviews

03/18/2024 - Partial

Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND