

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 22, 2024

[REDACTED]
INSPIRIT PALMERTON OPERATOR LLC
[REDACTED]

RE: THE PALMERTON, AN INSPIRIT
SENIOR LIVING COMMUNITY
71 PRINCETON AVENUE
PALMERTON, PA, 18071
LICENSE/COC#: 22680

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/02/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *THE PALMERTON, AN INSPIRIT SENIOR LIVING COMMUNITY* License #: *22680* License Expiration: *01/05/2025*

Address: *71 PRINCETON AVENUE, PALMERTON, PA 18071*

County: *CARBON* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *INSPIRIT PALMERTON OPERATOR LLC*

Address: [REDACTED]

Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *69* Waking Staff: *52*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:

Reason: *Incident* Exit Conference Date: *04/02/2024*

Inspection Dates and Department Representative

04/02/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *71* Residents Served: *57*

Secured Dementia Care Unit

In Home: *Yes* Area: *SCDU* Capacity: *14* Residents Served: *11*

Hospice

Current Residents: *2*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *56*

Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*

Have Mobility Need: *12* Have Physical Disability: *0*

Inspections / Reviews

04/02/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND