

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 26, 2024

[REDACTED]
INTEGRACARE ERIE LLC
[REDACTED]
[REDACTED]

RE: THE RESIDENCE AT PRESQUE ISLE
BAY
1012 WEST BAYFRONT PARKWAY
ERIE, PA, 16507
LICENSE/COC#: 45350

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/09/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *THE RESIDENCE AT PRESQUE ISLE BAY* License #: *45350* License Expiration: *03/24/2025*
 Address: *1012 WEST BAYFRONT PARKWAY, ERIE, PA 16507*
 County: *ERIE* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *INTEGRACARE ERIE LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *I-2* Date: *09/02/2010* Issued By: *City of Erie*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *66* Waking Staff: *50*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *04/09/2024*

Inspection Dates and Department Representative

04/09/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *138* Residents Served: *48*

Secured Dementia Care Unit

In Home: *Yes* Area: *SDCU* Capacity: *22* Residents Served: *14*

Hospice

Current Residents: *2*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *47*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *18* Have Physical Disability: *0*

Inspections / Reviews

04/09/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND