

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

May 1, 2024

[REDACTED]  
NIPPENOSE VALLEY VILLAGE INC  
[REDACTED]

RE: NIPPENOSE VALLEY VILLAGE  
7190 SOUTH STATE ROUTE 44 HWY  
WILLIAMSPORT, PA, 17701  
LICENSE/COC#: 22670

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/10/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: NIPPENOSE VALLEY VILLAGE License #: 22670 License Expiration: 06/03/2024  
Address: 7190 SOUTH STATE ROUTE 44 HWY, WILLIAMSPORT, PA 17701  
County: LYCOMING Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: NIPPENOSE VALLEY VILLAGE INC  
Address: [REDACTED]  
Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 39 Waking Staff: 29

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
Reason: Incident Exit Conference Date: 04/10/2024

**Inspection Dates and Department Representative**

04/10/2024 - Off-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

**General Information**

License Capacity: 59 Residents Served: 32

**Secured Dementia Care Unit**

In Home: No Area: Capacity: Residents Served:

**Hospice**

Current Residents: 0

**Number of Residents Who:**

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 32  
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
Have Mobility Need: 7 Have Physical Disability: 0

**Inspections / Reviews**

04/10/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND