Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

April 30, 2024

[redacted], COMPLIANCE CASEWORKER
ADELPHOI VILLAGE, INC.
1119 VILLAGE WAY
LATROBE, PA, 15650

RE: WILLIAMS
521 MUNICIPAL DRIVE
DUNCANSVILLE, PA, 16635
LICENSE/COC#: 31837

Dear [redacted],

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[redacted]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: *WILLIAMS*
Address: *521 MUNICIPAL DRIVE, DUNCANSVILLE, PA 16635*
County: *BLAIR*
License Number: *31837*
License Expiration: *09/01/2024*

Administrator

Name: [redacted] **Phone**: [redacted] **Email**: [redacted]

Legal Entity

Name: *ADELPHOI VILLAGE, INC.*
Address: *1119 VILLAGE WAY, LATROBE, PA, 15650*
Phone: [redacted] **Email**: [redacted]

Inspection Information

Start Date: *04/16/2024* **End Date**: *04/17/2024* **Type**: *Renewal* **Notice**: *Announced Visit*
Inspector(s): [redacted]

Inspection Narrative

The Department of Human Services conducted an annual licensing inspection of Adelphoi Village Williams on April 16 17, 2024, for the licensing year extending from 09/01/2023 to 09/01/2024. During the inspection, Departmental staff reviewed 11 of 11 newly hired personnel records, 11 of 11 tenured personnel records, and 2 of 24 child records. All pre inspection documents were reviewed, including fire drills, to measure compliance. During the inspection a physical site walk through was conducted. 2 staff members and 2 children were interviewed.

No areas of non compliance were found.

Inspections / Reviews

04/16/2024 Renewal

Lead Inspector: [redacted] **Follow-Up Type**: *Not Required*

NO DEFICIENCIES FOUND