

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

May 2, 2024

[REDACTED]  
ROXBOROUGH HOME FOR WOMEN INC  
[REDACTED]

RE: ROXBOROUGH HOME FOR WOMEN  
601 EAST LEVERINGTON AVENUE  
PHILADELPHIA, PA, 19128  
LICENSE/COC#: 14156

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/18/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: *ROXBOROUGH HOME FOR WOMEN* License #: *14156* License Expiration: *12/21/2024*  
Address: *601 EAST LEVERINGTON AVENUE, PHILADELPHIA, PA 19128*  
County: *PHILADELPHIA* Region: *SOUTHEAST*

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: *ROXBOROUGH HOME FOR WOMEN INC*  
Address: [REDACTED]  
Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: *Other* Date: *04/05/1978* Issued By: *City of Philadelphia*

**Staffing Hours**

Resident Support Staff: *0* Total Daily Staff: *15* Waking Staff: *11*

**Inspection Information**

Type: *Partial* Notice: *Unannounced* BHA Docket #:  
Reason: *Incident* Exit Conference Date: *04/18/2024*

**Inspection Dates and Department Representative**

04/18/2024 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information			
License Capacity:	30	Residents Served:	15
Secured Dementia Care Unit			
In Home:	No	Area:	Capacity:
Hospice			
Current Residents:	0		
Number of Residents Who:			
Receive Supplemental Security Income:	0	Are 60 Years of Age or Older:	14
Diagnosed with Mental Illness:	4	Diagnosed with Intellectual Disability:	1
Have Mobility Need:	0	Have Physical Disability:	0

**Inspections / Reviews**

04/18/2024 - Partial  
Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND