

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 10, 2024

[REDACTED]
C.R.O.S.S.,INC.
[REDACTED]
[REDACTED]

RE: CUMBERLAND VISTA
1073 YORK ROAD
DILLSBURG, PA, 17019
LICENSE/COC#: 31028

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/25/2024, 04/29/2024, 05/03/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CUMBERLAND VISTA License #: 31028 License Expiration: 04/22/2025
 Address: 1073 YORK ROAD, DILLSBURG, PA 17019
 County: CUMBERLAND Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: C.R.O.S.S.,INC.
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 02/24/2000 Issued By: DLI

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 7 Waking Staff: 5

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 05/03/2024

Inspection Dates and Department Representative

04/25/2024 - On-Site: [REDACTED]
 04/29/2024 - On-Site: [REDACTED]
 05/03/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 7 Residents Served: 7
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 0
 Number of Residents Who:
 Receive Supplemental Security Income: 2 Are 60 Years of Age or Older: 2
 Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 7
 Have Mobility Need: 0 Have Physical Disability: 0

Inspections / Reviews

04/25/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND