

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

May 16, 2024

[REDACTED], [REDACTED]  
SPIRITRUST LUTHERAN  
[REDACTED]

RE: SPIRITRUST LUTHERAN THE  
VILLAGE AT GETTYSBURG  
1075 OLD HARRISBURG ROAD  
GETTYSBURG, PA, 17325  
LICENSE/COC#: 34442

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/13/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SPIRITRUST LUTHERAN THE VILLAGE AT GETTYSBURG License #: 34442 License Expiration: 09/19/2024
Address: 1075 OLD HARRISBURG ROAD, GETTYSBURG, PA 17325
County: ADAMS Region: CENTRAL

Administrator

Name: [Redacted]

Legal Entity

Name: SPIRITRUST LUTHERAN
Address: [Redacted]

Certificate(s) of Occupancy

Type: C-1 Date: 11/10/2010 Issued By: Department of Labor & Industry
Type: C-1 Date: 11/10/1987 Issued By: Department of Health

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 15 Waking Staff: 11

Inspection Information

Type: Full Notice: Unannounced BHA Docket #:
Reason: Renewal Exit Conference Date: 05/13/2024

Inspection Dates and Department Representative

05/13/2024 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 20 Residents Served: 15
Secured Dementia Care Unit
In Home: No Area: Capacity: Residents Served:
Hospice
Current Residents: 0
Number of Residents Who:
Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 15
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 0 Have Physical Disability: 0

Inspections / Reviews

05/13/2024 Full
Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND