

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 17, 2024

[REDACTED]
THREE READING, LP

[REDACTED]
C/O HERITAGE SENIOR LIVING
[REDACTED]

RE: THE MANOR AT MARKET SQUARE
803 PENN STREET
READING, PA, 19601
LICENSE/COC#: 20589

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/14/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *THE MANOR AT MARKET SQUARE* License #: *20589* License Expiration: *10/20/2024*
 Address: *803 PENN STREET, READING, PA 19601*
 County: *BERKS* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *THREE READING, LP*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *I-2* Date: *05/31/2019* Issued By: *City of Reading*
 Type: *C-2 LP* Date: *08/01/2000* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *82* Waking Staff: *62*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Incident* Exit Conference Date: *05/14/2024*

Inspection Dates and Department Representative

05/14/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *80* Residents Served: *72*

Secured Dementia Care Unit
 In Home: *Yes* Area: *na* Capacity: *18* Residents Served: *14*

Hospice
 Current Residents: *9*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *71*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *10* Have Physical Disability: *0*

Inspections / Reviews

05/14/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND