

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 29, 2024

[REDACTED]
MS LOWER MAKEFIELD SH LLC

[REDACTED]
ATTN LICENSING
[REDACTED]

RE: SUNRISE SENIOR LIVING OF LOWER
MAKEFIELD
631 STONY HILL ROAD
YARDLEY, PA, 19067
LICENSE/COC#: 13809

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/15/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *SUNRISE SENIOR LIVING OF LOWER MAKEFIELD* License #: *13809* License Expiration: *08/13/2024*
 Address: *631 STONY HILL ROAD, YARDLEY, PA 19067*
 County: *BUCKS* Region: *SOUTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *MS LOWER MAKEFIELD SH LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *90* Waking Staff: *68*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *05/15/2024*

Inspection Dates and Department Representative

05/15/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *95* Residents Served: *56*

Secured Dementia Care Unit

In Home: *Yes* Area: *Reminiscence* Capacity: *29* Residents Served: *16*

Hospice

Current Residents: *12*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *56*
 Diagnosed with Mental Illness: *2* Diagnosed with Intellectual Disability: *2*
 Have Mobility Need: *34* Have Physical Disability: *0*

Inspections / Reviews

05/15/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND