

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 28, 2024

[REDACTED]
SNH PENN TENANT LLC
[REDACTED]

ATTN LICENSING
[REDACTED]

RE: CLARKS SUMMIT SENIOR LIVING
950 MORGAN HIGHWAY
CLARKS SUMMIT, PA, 18411
LICENSE/COC#: 22821

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/15/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *CLARKS SUMMIT SENIOR LIVING* License #: *22821* License Expiration: *01/01/2025*
 Address: *950 MORGAN HIGHWAY, CLARKS SUMMIT, PA 18411*
 County: *LACKAWANNA* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *SNH PENN TENANT LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *12/22/1999* Issued By: *PA L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *104* Waking Staff: *78*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Incident* Exit Conference Date: *05/15/2024*

Inspection Dates and Department Representative

05/15/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *120* Residents Served: *92*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *3*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *92*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *12* Have Physical Disability: *0*

Inspections / Reviews

05/15/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND