

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

May 22, 2024

[REDACTED]  
INTEGRACARE ERIE LLC  
[REDACTED]

Suite 1000  
[REDACTED]

RE: THE RESIDENCE AT PRESQUE ISLE  
BAY  
1012 WEST BAYFRONT PARKWAY  
ERIE, PA, 16507  
LICENSE/COC#: 45350

[REDACTED],  
  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/15/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE RESIDENCE AT PRESQUE ISLE BAY License #: 45350 License Expiration: 03/24/2025
Address: 1012 WEST BAYFRONT PARKWAY, ERIE, PA 16507
County: ERIE Region: WESTERN

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: INTEGRACARE ERIE LLC
Address: [Redacted]
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 64 Waking Staff: 48

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 05/15/2024

Inspection Dates and Department Representative

05/15/2024 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 138 Residents Served: 46

Secured Dementia Care Unit

In Home: Yes Area: Life Stories Capacity: 22 Residents Served: 15

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 45
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 18 Have Physical Disability: 0

Inspections / Reviews

05/15/2024 - Partial

Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND