

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

May 22, 2024

[REDACTED]  
MENTOR ABI LLC  
[REDACTED]

RE: NEURORESTORATIVE  
PENNSYLVANIA  
6816 WEST LAKE ROAD  
FAIRVIEW, PA, 16415  
LICENSE/COC#: 44663

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/17/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: *NEURORESTORATIVE PENNSYLVANIA* License #: *44663* License Expiration: *09/26/2024*  
 Address: *6816 WEST LAKE ROAD, FAIRVIEW, PA 16415*  
 County: *ERIE* Region: *WESTERN*

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: *MENTOR ABI LLC*  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: *I-1* Date: *01/26/2015* Issued By: *Fairview Township*

**Staffing Hours**

Resident Support Staff: *0* Total Daily Staff: *15* Waking Staff: *11*

**Inspection Information**

Type: *Partial* Notice: *Unannounced* BHA Docket #:  
 Reason: *Complaint* Exit Conference Date: *05/17/2024*

**Inspection Dates and Department Representative**

05/17/2024 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: *8* Residents Served: *8*  
 Secured Dementia Care Unit  
 In Home: *No* Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: *0*  
 Number of Residents Who:  
 Receive Supplemental Security Income: *7* Are 60 Years of Age or Older: *2*  
 Diagnosed with Mental Illness: *8* Diagnosed with Intellectual Disability: *1*  
 Have Mobility Need: *7* Have Physical Disability: *7*

**Inspections / Reviews**

05/17/2024 - Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND