

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

June 26, 2024

[REDACTED], ADMINISTRATOR  
ECUMENICAL ENTERPRISES, INC.  
200 LAKE STREET  
DALLAS, PA, 18612

RE: THE MEADOWS MANOR  
200 LAKE STREET  
DALLAS, PA, 18612  
LICENSE/COC#: 24365

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/04/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]  
Human Services Licensing Supervisor

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: *THE MEADOWS MANOR* License #: 24365 License Expiration: 09/20/2024  
 Address: 200 LAKE STREET, DALLAS, PA 18612  
 County: LUZERNE Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: ECUMENICAL ENTERPRISES, INC.  
 Address: [REDACTED]

**Certificate(s) of Occupancy**

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 50 Waking Staff: 38

**Inspection Information**

Type: *Partial* Notice: *Unannounced* BHA Docket #:  
 Reason: *Incident* Exit Conference Date: 06/04/2024

**Inspection Dates and Department Representative**

06/04/2024 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 66 Residents Served: 45

Secured Dementia Care Unit  
 In Home: *No* Area: Capacity: Residents Served:

Hospice  
 Current Residents: 0

Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 45  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 1  
 Have Mobility Need: 5 Have Physical Disability: 5

**Inspections / Reviews**

06/04/2024 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND