

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 10, 2024

[REDACTED]
TEL HAI RETIREMENT COMMUNITY
[REDACTED]

RE: LAKEVIEW AT TEL HAI PERSONAL
CARE
PO BOX 190,4200 TEL HAI CIRCLE
HONEY BROOK, PA, 19344
LICENSE/COC#: 17364

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/25/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: LAKEVIEW AT TEL HAI PERSONAL CARE License #: 17364 License Expiration: 04/20/2025
 Address: PO BOX 190,4200 TEL HAI CIRCLE, HONEY BROOK, PA 19344
 County: CHESTER Region: SOUTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: TEL HAI RETIREMENT COMMUNITY
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 05/27/1988 Issued By: COPA L & I

Staffing Hours

Resident Support Staff: 77 Total Daily Staff: 177 Waking Staff: 133

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint, Incident, Monitoring Exit Conference Date: 06/25/2024

Inspection Dates and Department Representative

06/25/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 100 Residents Served: 77
 Secured Dementia Care Unit
 In Home: Yes Area: Lakeview Capacity: 25 Residents Served: 19
 Hospice
 Current Residents: 0
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 77
 Diagnosed with Mental Illness: 1 Diagnosed with Intellectual Disability: 1
 Have Mobility Need: 23 Have Physical Disability: 2

Inspections / Reviews

06/25/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND