

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

August 14, 2024

[REDACTED], ADMINISTRATOR  
COUNTRY MEADOWS OF ALLENTOWN LLC  
[REDACTED]  
[REDACTED]

RE: COUNTRY MEADOWS OF  
ALLENTOWN  
430 NORTH KROCKS ROAD  
BUILDING 1  
ALLENTOWN, PA, 18106  
LICENSE/COC#: 22693

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/19/2024, 07/22/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]  
Human Services Licensing Supervisor

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: COUNTRY MEADOWS OF ALLENTOWN License #: 22693 License Expiration: 08/31/2024
Address: 430 NORTH KROCKS ROAD, BUILDING 1, ALLENTOWN, PA 18106
County: LEHIGH Region: NORTHEAST

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: COUNTRY MEADOWS OF ALLENTOWN LLC
Address: [Redacted]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: Total Daily Staff: 112 Waking Staff: 84

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 07/24/2024

Inspection Dates and Department Representative

07/19/2024 - Off-Site: [Redacted]
07/22/2024 - Off-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 118 Residents Served: 67
Secured Dementia Care Unit
In Home: Yes Area: Connections Capacity: 60 Residents Served: 38
Hospice
Current Residents: 3
Number of Residents Who:
Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 67
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 45 Have Physical Disability: 1

Inspections / Reviews

07/19/2024 Partial
Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND