

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 23, 2024

[REDACTED]
HERITAGE SPRINGS MONTOURSVILLE I INC
[REDACTED]

RE: HERITAGE SPRINGS
MONTOURSVILLE I
878 OLD CEMENT ROAD
MUNCY, PA, 17756
LICENSE/COC#: 22825

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/17/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HERITAGE SPRINGS MONTOURSVILLE I License #: 22825 License Expiration: 12/11/2024
 Address: 878 OLD CEMENT ROAD, MUNCY, PA 17756
 County: LYCOMING Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: HERITAGE SPRINGS MONTOURSVILLE I INC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-2 Date: 08/08/2021 Issued By: L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 120 Waking Staff: 90

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint, Incident Exit Conference Date: 07/17/2024

Inspection Dates and Department Representative

07/17/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 60 Residents Served: 60
 Secured Dementia Care Unit
 In Home: Yes Area: whole building Capacity: 60 Residents Served: 60
 Hospice
 Current Residents: 5
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 60
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 60 Have Physical Disability: 0

Inspections / Reviews

07/17/2024 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND