

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 25, 2024

[REDACTED]
SUCCESS REHABILITATION, INC.
[REDACTED]

RE: SUCCESS REHABILITATION AT ROCK
RIDGE
5666 CLYMER ROAD
QUAKERTOWN, PA, 18951
LICENSE/COC#: 12730

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/18/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *SUCCESS REHABILITATION AT ROCK RIDGE* License #: *12730* License Expiration: *08/18/2024*
 Address: *5666 CLYMER ROAD, QUAKERTOWN, PA 18951*
 County: *BUCKS* Region: *SOUTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *SUCCESS REHABILITATION, INC.*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *Other* Date: *11/15/1995* Issued By: *CWOPA L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *46* Waking Staff: *35*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *07/18/2024*

Inspection Dates and Department Representative

07/18/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *35* Residents Served: *23*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *18* Are 60 Years of Age or Older: *5*
 Diagnosed with Mental Illness: *23* Diagnosed with Intellectual Disability: *23*
 Have Mobility Need: *23* Have Physical Disability: *0*

Inspections / Reviews

07/18/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND