

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

August 13, 2024

[REDACTED], CEO/PRESIDENT
PRESBYTERIAN SENIOR CARE INC
1215 HULTON ROAD
OAKMONT, PA, 15139

RE: WOODSIDE PLACE OF OAKMONT
1215 HULTON ROAD
OAKMONT, PA, 15139
LICENSE/COC#: 42973

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/02/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WOODSIDE PLACE OF OAKMONT **License #:** 42973 **License Expiration:** 08/02/2025
Address: 1215 HULTON ROAD, OAKMONT, PA 15139
County: ALLEGHENY **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: PRESBYTERIAN SENIOR CARE INC
Address: 1215 HULTON ROAD, OAKMONT, PA, 15139
Phone: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 06/04/1991 **Issued By:** L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 72 **Waking Staff:** 54

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 08/02/2024

Inspection Dates and Department Representative

08/02/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 37 **Residents Served:** 36

Secured Dementia Care Unit

In Home: Yes **Area:** Entire Facility **Capacity:** 37 **Residents Served:** 36

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 36
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 36 **Have Physical Disability:** 0

Inspections / Reviews

08/02/2024 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND