

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

August 22, 2024

[REDACTED], COO
HSL BLANDON SUBTENANT LLC
660 SENTRY PARKWAY, SUITE 220
[REDACTED]
[REDACTED]

RE: KEYSTONE VILLA AT FLEETWOOD
501 HOCH ROAD
BLANDON, PA, 19510
LICENSE/COC#: 22770

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/06/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *KEYSTONE VILLA AT FLEETWOOD* License #: *22770* License Expiration: *06/04/2025*
 Address: *501 HOCH ROAD, BLANDON, PA 19510*
 County: *BERKS* Region: *NORTHEAST*

Administrator

Name: [REDACTED]

Legal Entity

Name: *HSL BLANDON SUBTENANT LLC*
 Address: [REDACTED]

Certificate(s) of Occupancy

Type: *I-1* Date: *05/18/2011* Issued By: *Maidencreek Township*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *65* Waking Staff: *49*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Incident* Exit Conference Date: *08/07/2024*

Inspection Dates and Department Representative

08/06/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *65* Residents Served: *57*
 Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:
 Hospice
 Current Residents: *9*
 Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *55*
 Diagnosed with Mental Illness: *1* Diagnosed with Intellectual Disability: *1*
 Have Mobility Need: *8* Have Physical Disability: *0*

Inspections / Reviews

08/06/2024 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND