

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

October 21, 2024

[REDACTED], OWNER/ADMINISTRATOR  
ORRSTOWN PERSONAL CARE HOME  
3329 ORRSTOWN ROAD  
ORRSTOWN, PA, 17244

RE: ORRSTOWN PERSONAL CARE  
HOME  
3329 ORRSTOWN ROAD  
ORRSTOWN, PA, 17244  
LICENSE/COC#: 30938

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing review on 08/08/2024 of the above facility, we have determined that your submitted plan of correction is fully implemented. Continued compliance must be maintained.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

**Name:** ORRSTOWN PERSONAL CARE HOME      **License #:** 30938      **License Expiration:** 09/18/2024  
**Address:** 3329 ORRSTOWN ROAD, ORRSTOWN, PA 17244  
**County:** FRANKLIN      **Region:** CENTRAL

**Administrator**

**Name:** [REDACTED]      **Phone:** [REDACTED]      **Email:** [REDACTED]

**Legal Entity**

**Name:** ORRSTOWN PERSONAL CARE HOME  
**Address:** [REDACTED]

**Certificate(s) of Occupancy**

**Type:** C-2 LP      **Date:** 06/29/1998      **Issued By:** Labor & Industry

**Staffing Hours**

**Resident Support Staff:** 0      **Total Daily Staff:** 29      **Waking Staff:** 22

**Inspection Information**

**Type:** Full      **Notice:** Unannounced      **BHA Docket #:**  
**Reason:** Renewal      **Exit Conference Date:** 08/08/2024

**Inspection Dates and Department Representative**

08/08/2024 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

**General Information**

**License Capacity:** 30      **Residents Served:** 26

**Secured Dementia Care Unit**

**In Home:** No      **Area:**      **Capacity:**      **Residents Served:**

**Hospice**

**Current Residents:** 2

**Number of Residents Who:**

**Receive Supplemental Security Income:** 2      **Are 60 Years of Age or Older:** 26  
**Diagnosed with Mental Illness:** 0      **Diagnosed with Intellectual Disability:** 0  
**Have Mobility Need:** 3      **Have Physical Disability:** 0

**Inspections / Reviews**

08/08/2024 Full

**Lead Inspector:** [REDACTED]      **Follow-Up Type:** POC Submission      **Follow-Up Date:** 08/25/2024

08/20/2024 - POC Submission

**Submitted By:** [REDACTED]      **Date Submitted:** 10/18/2024  
**Reviewer:** [REDACTED]      **Follow-Up Type:** Document Submission      **Follow-Up Date:** 08/30/2024

Inspections / Reviews *(continued)*

10/21/2024 Document Submission

Submitted By: [REDACTED]

Date Submitted: 10/18/2024

Reviewer: [REDACTED]

Follow Up Type: *Not Required*

88a - Surfaces

1. Requirements

2600.

88.a. Floors, walls, ceilings, windows, doors and other surfaces must be clean, in good repair and free of hazards.

Description of Violation

On 8/8/24 at approximately 2:00 PM the hallway leading to resident rooms #1 and #2 was observed having water dripping from the ceiling fire alarm onto the floor.

On 8/8/24 the walkway in the center of the building between the resident living and dining room was observed having tile flooring which is lifting up and cracking.

Plan of Correction

Accept ( [redacted] - 08/20/2024)

Education was received by [redacted] on 8/8/24 by the inspector regarding regulation 2600.88a. The repair person was called on 8/9/24 and made the floor safe on 8/15/24 by removing lifted tiles and plywood put in place to make floor level therefore safe. [redacted] is currently looking for the best solution since the tile is no longer available and will make permanent repairs when we find the best and most cost effective solution. Ongoing the floor will be monitored for needed repairs and made safe while waiting for permanent solution.

Dependable Roofing was called on 8/12/2024 to look for roof leak, we were placed on their list and will come inspect the roof for leak and make necessary repairs. The area has not leaked since the day of inspection. A copy of both bills will be submitted upon completion of work. Ongoing we will monitor for leaks and notify Dependable Roofing to fix.

Licensee's Proposed Overall Completion Date: 09/30/2024

Implemented ( [redacted] - 10/21/2024)

190c - Record of Training

2. Requirements

2600.

190.c. A record of the training shall be kept including the staff person trained, the date, source, name of trainer and documentation that the course was successfully completed.

Description of Violation

The home's medication administration training record for staff members A, B and C lacked a determination of pass or fail for the medication record reviews and medication administration observations dated 4/2024.

Plan of Correction

Accept ( [redacted] - 08/20/2024)

[redacted] received education regarding 2600.109c by inspector on 8/8/24 and followed up with instruction to [redacted], the medication trainer on 8/12/24. Documents were corrected and ongoing the Medication Trainer will have the administrator double check documents for completion and initial that all areas are completed

Licensee's Proposed Overall Completion Date: 08/20/2024

Implemented ( [redacted] - 10/21/2024)