

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

September 18, 2024

[REDACTED], ADMINISTRATOR
EC OPCO LEWISBURG LLC

RE: CELEBRATION VILLA OF LEWISBURG
2421 OLD TURNPIKE ROAD
LEWISBURG, PA, 17837
LICENSE/COC#: 22720

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/14/2024, 08/28/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CELEBRATION VILLA OF LEWISBURG **License #:** 22720 **License Expiration:** 03/08/2025
Address: 2421 OLD TURNPIKE ROAD, LEWISBURG, PA 17837
County: UNION **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: EC OPCO LEWISBURG LLC
Address: [REDACTED]
Phone: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 35 **Waking Staff:** 26

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 08/28/2024

Inspection Dates and Department Representative

08/14/2024 - Off-Site: [REDACTED]
08/28/2024 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 73	Residents Served: 35		
Secured Dementia Care Unit			
In Home: No	Area:	Capacity:	Residents Served:
Hospice			
Current Residents: 3			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 35		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 0	Have Physical Disability: 0		

Inspections / Reviews

08/14/2024 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND