

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

September 10, 2024

[REDACTED], ADMINISTRATOR
HEATHER GLEN SENIOR LIVING LLC
415 BLUE BARN ROAD
ALLENTOWN, PA, 18104

RE: HEATHER GLEN SENIOR LIVING
415 BLUE BARN ROAD
ALLENTOWN, PA, 18104
LICENSE/COC#: 22682

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/29/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HEATHER GLEN SENIOR LIVING License #: 22682 License Expiration: 01/29/2023
 Address: 415 BLUE BARN ROAD, ALLENTOWN, PA 18104
 County: LEHIGH Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: HEATHER GLEN SENIOR LIVING LLC
 Address: 415 BLUE BARN ROAD, ALLENTOWN, PA, 18104
 Phone: [REDACTED]

Certificate(s) of Occupancy

Type: I-1 Date: 04/06/2017 Issued By: Upper Macungie Twp

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 136 Waking Staff: 102

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 08/29/2024

Inspection Dates and Department Representative

08/29/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 120 Residents Served: 97

Secured Dementia Care Unit
 In Home: Yes Area: unit Capacity: 40 Residents Served: 38

Hospice
 Current Residents: 0

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 97
 Diagnosed with Mental Illness: 1 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 39 Have Physical Disability: 0

Inspections / Reviews

08/29/2024 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND