

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

September 20, 2024

[REDACTED], VP OPERATIONS/COO
UNITED CHURCH OF CHRIST HOMES INC
[REDACTED]

RE: LEBANON VALLEY HOME
550 EAST MAIN STREET
ANNVILLE, PA, 17003
LICENSE/COC#: 34780

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 09/17/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *LEBANON VALLEY HOME* License #: *34780* License Expiration: *10/07/2024*
 Address: *550 EAST MAIN STREET, ANNVILLE, PA 17003*
 County: *LEBANON* Region: *CENTRAL*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *UNITED CHURCH OF CHRIST HOMES INC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-1* Date: *03/10/1976* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *32* Waking Staff: *24*

Inspection Information

Type: *Full* Notice: *Unannounced* BHA Docket #:
 Reason: *Renewal* Exit Conference Date: *09/17/2024*

Inspection Dates and Department Representative

09/17/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *40* Residents Served: *32*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *0*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *32*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

09/17/2024 - Full
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND