

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

October 10, 2024

[REDACTED]
ANGELS FAMILY MANOR PERSONAL CARE HOME INC
[REDACTED]
[REDACTED]

RE: ANGEL'S FAMILY MANOR
PERSONAL CARE HOME
218 NORTH MAIN AVENUE
SCRANTON, PA, 18504
LICENSE/COC#: 21062

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 09/20/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ANGEL'S FAMILY MANOR PERSONAL CARE HOME License #: 21062 License Expiration: 11/05/2025
 Address: 218 NORTH MAIN AVENUE, SCRANTON, PA 18504
 County: LACKAWANNA Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: ANGELS FAMILY MANOR PERSONAL CARE HOME INC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: Other Date: 04/11/2014 Issued By: City of Scranton

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 53 Waking Staff: 40

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint, Incident Exit Conference Date: 09/20/2024

Inspection Dates and Department Representative

09/20/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 53 Residents Served: 51

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 46 Are 60 Years of Age or Older: 38
 Diagnosed with Mental Illness: 44 Diagnosed with Intellectual Disability: 1
 Have Mobility Need: 2 Have Physical Disability: 2

Inspections / Reviews

09/20/2024 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND