

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

October 22, 2024

[REDACTED]
SUNNY CREST HOME INC
[REDACTED]

RE: SUNNY CREST HOME
2587 VALLEY VIEW ROAD
MORGANTOWN, PA, 19543
LICENSE/COC#: 32192

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/09/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *SUNNY CREST HOME* License #: *32192* License Expiration: *11/20/2024*
 Address: *2587 VALLEY VIEW ROAD, MORGANTOWN, PA 19543*
 County: *LANCASTER* Region: *CENTRAL*

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: *SUNNY CREST HOME INC*
 Address: [Redacted]
 Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Type: *C 2 LP* Date: *08/15/2007* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *58* Waking Staff: *44*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #: [Redacted]
 Reason: *Incident* Exit Conference Date: *10/09/2024*

Inspection Dates and Department Representative

10/09/2024 On Site [Redacted]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *71* Residents Served: *54*

Secured Dementia Care Unit
 In Home: *No* Area: [Redacted] Capacity: [Redacted] Residents Served: [Redacted]

Hospice
 Current Residents: *0*

Number of Residents Who:
 Receive Supplemental Security Income: *24* Are 60 Years of Age or Older: *40*
 Diagnosed with Mental Illness: *24* Diagnosed with Intellectual Disability: *55*
 Have Mobility Need: *4* Have Physical Disability: *0*

Inspections / Reviews

10/09/2024 - Partial
 Lead Inspector: [Redacted] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND