

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

October 23, 2024

[REDACTED]  
PAULS RUN INC  
[REDACTED]

RE: PAUL'S RUN  
9896 BUSTLETON AVENUE  
FLOORS 3 & 4; BUILDING B  
PHILADELPHIA, PA, 19115  
LICENSE/COC#: 17699

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/10/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: PAUL'S RUN License #: 17699 License Expiration: 03/20/2025  
 Address: 9896 BUSTLETON AVENUE, FLOORS 3 & 4; BUILDING B, PHILADELPHIA, PA 19115  
 County: PHILADELPHIA Region: SOUTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: PAULS RUN INC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: Other Date: 09/08/1981 Issued By: City of Philadelphia L&I

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 97 Waking Staff: 73

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Fine Exit Conference Date: 10/10/2024

**Inspection Dates and Department Representative**

10/10/2024 On Site [REDACTED]

**Resident Demographic Data as of Inspection Dates**

**General Information**  
 License Capacity: 170 Residents Served: 97

**Secured Dementia Care Unit**  
 In Home: No Area: Capacity: Residents Served:

**Hospice**  
 Current Residents: 1

**Number of Residents Who:**  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 96  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 0 Have Physical Disability: 0

**Inspections / Reviews**

10/10/2024 - Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND