

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

October 28, 2024

[REDACTED]
LAURELS SENIOR LIVING INC
[REDACTED]
[REDACTED]

RE: THE LAURELS
23 FAITH DRIVE
HAZLETON, PA, 18202
LICENSE/COC#: 21117

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/16/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *THE LAURELS* License #: *21117* License Expiration: *01/13/2025*
 Address: *23 FAITH DRIVE, HAZLETON, PA 18202*
 County: *LUZERNE* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *LAURELS SENIOR LIVING INC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *04/21/2003* Issued By: *L & I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *101* Waking Staff: *76*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #: [REDACTED]
 Reason: *Incident* Exit Conference Date: *10/16/2024*

Inspection Dates and Department Representative

10/16/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *100* Resident Served: *93*

Secured Dementia Care Unit
 In Home: *No* Area: [REDACTED] Capacity: [REDACTED] Resident Served: [REDACTED]

Hospice
 Current Resident : *8*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *93*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *8* Have Physical Disability: *2*

Inspections / Reviews

10/16/2024 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND