

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

December 11, 2024

[REDACTED]
MENTOR ABI LLC
[REDACTED]

RE: NEURORESTORATIVE
PENNSYLVANIA
BUILDING 2, 6816 WEST LAKE RD
FAIRVIEW, PA, 16415
LICENSE/COC#: 44205

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/26/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *NEURORESTORATIVE PENNSYLVANIA* License #: *44205* License Expiration: *10/23/2024*
 Address: *BUILDING 2, 6816 WEST LAKE RD, FAIRVIEW, PA 16415*
 County: *ERIE* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *MENTOR ABI LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C 2 LP* Date: *05/30/1974* Issued By: *Dept L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *11* Waking Staff: *8*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Incident* Exit Conference Date: *11/26/2024*

Inspection Dates and Department Representative

11/26/2024 On Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *16* Residents Served: *8*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *0*

Number of Residents Who:
 Receive Supplemental Security Income: *2* Are 60 Years of Age or Older: *0*
 Diagnosed with Mental Illness: *8* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *3* Have Physical Disability: *3*

Inspections / Reviews

11/26/2024 - Partial
 Lead Inspector: [REDACTED] Follow Up Type: *Not Required*

NO DEFICIENCIES FOUND