

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 17, 2024

[REDACTED]
THE WILLIAMSPORT HOME, INC.
[REDACTED]

RE: WOODLAND VISTA AT THE
WILLIAMSPORT HOME
1900 RAVINE ROAD
WILLIAMSPORT, PA, 17701
LICENSE/COC#: 21038

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/03/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WOODLAND VISTA AT THE WILLIAMSPORT HOME **License #:** 21038 **License Expiration:** 09/19/2025
Address: 1900 RAVINE ROAD, WILLIAMSPORT, PA 17701
County: LYCOMING **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: THE WILLIAMSPORT HOME, INC.
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-1 **Date:** 11/24/1975 **Issued By:** L & I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 8 **Waking Staff:** 6

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Interim **Exit Conference Date:** 12/03/2024

Inspection Dates and Department Representative

12/03/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 16 **Residents Served:** 8

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 8
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

12/03/2024 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND