

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

December 10, 2024

[REDACTED]
SERENITY CARE MID VALLEY LLC
[REDACTED]

RE: SERENITY CARE MID VALLEY
65 STURGES ROAD
PECKVILLE, PA, 18452
LICENSE/COC#: 23058

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/06/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *SERENITY CARE MID VALLEY* License #: *23058* License Expiration: *03/28/2025*
 Address: *65 STURGES ROAD, PECKVILLE, PA 18452*
 County: *LACKAWANNA* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *SERENITY CARE MID VALLEY LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *02/05/1989* Issued By: *Dept. of L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *41* Waking Staff: *31*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *12/06/2024*

Inspection Dates and Department Representative

12/06/2024 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *90* Residents Served: *35*

Secured Dementia Care Unit
 In Home: *Yes* Area: *Memory Care* Capacity: *22* Residents Served: *0*

Hospice
 Current Residents: *1*

Number of Residents Who:
 Receive Supplemental Security Income: *12* Are 60 Years of Age or Older: *34*
 Diagnosed with Mental Illness: *1* Diagnosed with Intellectual Disability: *1*
 Have Mobility Need: *6* Have Physical Disability: *1*

Inspections / Reviews

12/06/2024 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND