

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

January 6, 2025

[REDACTED]
GRACEFUL CARE LIVING, LLC

[REDACTED]
SUITE 100
[REDACTED]

RE: GRACEFUL CARE LIVING
211 GARNIER STREET
SHARPSBURG, PA, 15215
LICENSE/COC#: 45467

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/23/2024, 01/03/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: GRACEFUL CARE LIVING License #: 45467 License Expiration: 10/09/2024
 Address: 211 GARNIER STREET, SHARPSBURG, PA 15215
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: GRACEFUL CARE LIVING, LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 09/07/1993 Issued By: Labor and Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 45 Waking Staff: 34

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 01/03/2025

Inspection Dates and Department Representative

12/23/2024 - On-Site: [REDACTED]
 01/03/2025 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 52 Residents Served: 31
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 9
 Number of Residents Who:
 Receive Supplemental Security Income: 6 Are 60 Years of Age or Older: 26
 Diagnosed with Mental Illness: 12 Diagnosed with Intellectual Disability: 3
 Have Mobility Need: 14 Have Physical Disability: 2

Inspections / Reviews

12/23/2024 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND