

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

February 6, 2025

[REDACTED]  
PROVIDENCE PLACE OF HAZLETON ASSOCIATES  
[REDACTED]

RE: PROVIDENCE PLACE OF HAZLETON  
149 SOUTH HUNTER HIGHWAY  
DRUMS, PA, 18222  
LICENSE/COC#: 22760

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/23/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: PROVIDENCE PLACE OF HAZLETON License #: 22760 License Expiration: 04/01/2025  
 Address: 149 SOUTH HUNTER HIGHWAY, DRUMS, PA 18222  
 County: LUZERNE Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: PROVIDENCE PLACE OF HAZLETON ASSOCIATES  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: I-2 Date: 08/16/2025 Issued By: Butler Township

**Staffing Hours**

Resident Support Staff: 1 Total Daily Staff: 146 Waking Staff: 110

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 01/23/2025

**Inspection Dates and Department Representative**

01/23/2025 - On-Site [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 155 Residents Served: 94  
 Special Care Unit  
 In Home: Yes Area: Terrace Capacity: 42 Residents Served: 28  
 Hospice  
 Current Residents: 7  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 94  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 51 Have Physical Disability: 0

**Inspections / Reviews**

01/23/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND