

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

February 21, 2025

[REDACTED]
ALEXANDRIA MANOR OF ALLENTOWN INC
[REDACTED]

RE: ALEXANDRIA MANOR II
313 S. WALNUT ST.
BATH, PA, 18014
LICENSE/COC#: 20526

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/30/2025, 01/31/2025, 02/10/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ALEXANDRIA MANOR II

License #: 20526

License Expiration: 08/04/2025

Address: 313 S. WALNUT ST., BATH, PA 18014

County: NORTHAMPTON

Region: NORTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN INC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 53

Waking Staff: 40

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 01/30/2025

Inspection Dates and Department Representative

01/30/2025 On Site: [REDACTED]

01/31/2025 Off Site: [REDACTED]

02/10/2025 Off Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 78

Residents Served: 49

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 3

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 49

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 4

Have Physical Disability: 1

Inspections / Reviews

01/30/2025 - Partial

Lead Inspector: [REDACTED]

Follow Up Type: Not Required

NO DEFICIENCIES FOUND