

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 11, 2025

[REDACTED]
HIGHLAND PARK SENIOR LIVING LLC
[REDACTED]

RE: HIGHLAND PARK SENIOR LIVING
874 SCHECHTER DRIVE
WILKES-BARRE TOWNSHI, PA, 18702
LICENSE/COC#: 22630

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/18/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HIGHLAND PARK SENIOR LIVING **License #:** 22630 **License Expiration:** 10/05/2025
Address: 874 SCHECHTER DRIVE, WILKES BARRE TOWNSHI, PA 18702
County: LUZERNE **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: HIGHLAND PARK SENIOR LIVING LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 111 **Waking Staff:** 83

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 02/18/2025

Inspection Dates and Department Representative

02/18/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 160	Residents Served: 88		
Secured Dementia Care Unit			
In Home: Yes	Area: separate unit	Capacity: 24	Residents Served: 23
Hospice			
Current Residents: 6			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 88		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 23	Have Physical Disability: 1		

Inspections / Reviews

02/18/2025 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND