

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

March 24, 2025

[REDACTED]
BROADWAY MANOR LLC
[REDACTED]

RE: BROADWAY MANOR
560 BROADWAY STREET
MILTON, PA, 17847
LICENSE/COC#: 23030

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/18/2025, 03/03/2025, 03/06/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *BROADWAY MANOR* License #: *23030* License Expiration: *03/04/2026*
 Address: *560 BROADWAY STREET, MILTON, PA 17847*
 County: *NORTHUMBERLAND* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *BROADWAY MANOR LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-1* Date: *02/07/1974* Issued By: *L & I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *43* Waking Staff: *32*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *03/06/2025*

Inspection Dates and Department Representative

02/18/2025 - Off-Site: [REDACTED]
 03/03/2025 - Off-Site: [REDACTED]
 03/06/2025 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *49* Residents Served: *43*
 Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:
 Hospice
 Current Residents: *0*
 Number of Residents Who:
 Receive Supplemental Security Income: *43* Are 60 Years of Age or Older: *34*
 Diagnosed with Mental Illness: *43* Diagnosed with Intellectual Disability: *3*
 Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

02/18/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND